

Work happily






7.2025

naggura'swop

naggura.com



Dimensions





General Specifications

MOTORS
1 engine height (6000N)

FRAME COLOUR
Space ball is RAL 7015
Base Frame is RAL 7047

DIMENSIONS (LENGTH X WIDTH)
204 x 70 cm

INSULATION CLASS
Reinforced insulation II

HEIGHT (MIN. AND MAX.)
50/90 cm

PRODUCT CLASSIFICATION
Class I Equipment

WEIGHT
113 kg

APPLIED PARTS
Type B

LIFTING CAPACITY
200 kg

MOISTURE RESISTENCE
IPx0

POWER SUPPLY
100-240 V - 50/60 Hz
4.8 A

FEEDER CABLE
2,5m, white

Operation

TwinLift® arm supports: stepless and simultaneously adjustable with gas spring. No collision with the therapist.

Head section with 2 gas springs.

Space ball peripheral switch, easy access from all sides of the table.

4 wheels turning 360°. Fully integrated system underneath the base frame. 1 Central lever.

Cushion with heating: XL heating elements with 2 temperature levels, auto switch-off and switches on both sides.

Upholstery

Manipulation cushions on the middle- and footsection
6,5 cm: multiplex wood (1,5 cm) + high density foam 60kg/m³ (4cm) + low density top layer 40kg/m³ (1cm)

Headsection 6,5cm: multiplex wood (1,5 cm) + low density foam 40kg/m³ (5cm)

All cushions with straight edges and finished with saddle stitch.

Naggura Skin upholstery: 100% vinyl compound.

Protection against germs and UV rays.

Superior abrasion resistance: >150K cycles.

Flame retardancy: BS 7176

Colour: Graphite

Warranty and conformity

WARRANTY

2 years on table and upholstery

CONFORMITY

EN ISO 14971: 2019, EN ISO 20417:2021,
EN ISO 15223-1: 2016, ISO 10993-1: 2018,
EN ISO 10993-5: 2009, EN ISO 10993-10: 2013,
EN ISO 13485:2016,
EN 60601-2-52:2010+ AC:2011+A1:2015,
EN 60601-1-2:2015+ A1:2020,
EN 60601-1:2006+ A1:2013+AC:2014+A12:2014 +A2:2020

Collections



Rooms

METAL



Red



Blue



Green

Iron

METAL



Inox



Black

Om

WOOD



Oak

Accessories

Bamboo Sound System



Protective cover



Safety

Safety switch with key (power off).
Motor with safety clutch.