

Work happily



7.2025


naggura'swop

naggura.com

Swop 5 Pro Physio



Dimensions



Swop 5 Pro Physio



Physiotherapy

General Specifications

MOTORS

1 engine height (6000N)
1 engine middle section
(6000N)

DIMENSIONS (LENGTH X WIDTH)
202 x 68 cm

HEIGHT (MIN. AND MAX.)
48/90 cm

WEIGHT
102 kg

LIFTING CAPACITY
200 kg

POWER SUPPLY
100-240 V - 50/60 Hz
4.5 A

FRAME COLOUR

Space ball is RAL 7015
Base Frame is RAL 7047

INSULATION CLASS
Reinforced insulation II

PRODUCT CLASSIFICATION
Class I Equipment

APPLIED PARTS
Type B

MOISTURE RESISTENCE
IPx0

FEEDER CABLE
2,5m, white

Operation

TwinLift® arm supports: stepless and simultaneously adjustable with gas spring. No collision with the therapist.

Head section with 2 gas springs.

Space ball peripheral switch, easy access from all sides of the table.

4 wheels turning 360°. Fully integrated system underneath the base frame. 1 Central lever.

Electrically adjustable middle section. Switches on both sides.

Foot section with 1 gas spring

Upholstery

Thickness: 5cm

Density: 40kg/m³

Breathing hole and plug.

Seamless upholstery with round edges.

Naggura Skin upholstery: 100% vinyl compound.

Protection against germs and UV rays.

Superior abrasion resistance: >150K cycles.

Flame retardancy: BS 7176

Colour: Graphite

Warranty and conformity

WARRANTY

2 years on table and upholstery

CONFORMITY

EN ISO 14971: 2019, EN ISO 20417:2021,
EN ISO 15223-1: 2016, ISO 10993-1: 2018,
EN ISO 10993-5: 2009, EN ISO 10993-10: 2013,
EN ISO 13485:2016,
EN 60601-2-52:2010+ AC:2011+A1:2015,
EN 60601-1-2:2015+ A1:2020,
EN 60601-1:2006+ A1:2013+AC:2014+A12:2014 +A2:2020

Collections



Rooms
METAL



Red



Blue



Green

Iron
METAL



Inox



Black

Om
WOOD



Oak

Accessories

Bamboo Sound
System



Protective cover



Safety

Safety switch with key (power off).
Motor with safety clutch.