


naggura'nuuna



Dimensions



General Specifications

MOTORS 3	INSULATION CLASS Class I
DIMENSIONS (LENGTH X WIDTH) 168x83 cm	PRODUCT CLASSIFICATION Class I
HEIGHT (MIN. AND MAX.) 50/94 cm	APPLIED PARTS Type B
WEIGHT 110 kg	MOISTURE RESISTENCE IPX0
LIFTING CAPACITY 160 kg	FEEDER CABLE 2.5 m
POWER SUPPLY 100-240 V - 50/60 Hz	MAX INTENSITY 6.5A
FRAME COLOUR Dark grey: RAL 7015 Light grey: RAL 7047 Wood: Oak	

Upholstery

Thickness: 12 cm
Density: 40kg/m3 (3cm) +foam 50kg/m3 (5cm) + silk floss (1cm)
Upholstery: Naggura Silky (100% vinyl compound)
Protection against germs and UV rays.
Abrasion resistance: >50.000 cycles
Flame retardancy: BS 7176
Colour: White

Warranty and conformity

WARRANTY 10 years on metal structure, 2 years on the rest of the bed.
CONFORMITY MDR (EU) 2017/745
EN ISO 14971: 2019/A11:2021, EN ISO 15223-1:2021/A1:2025, EN ISO 20417:2021,
EN ISO 10993-1: 2020, EN ISO 10993-5: 2009/A11:2025, EN ISO 10993-10: 2023, EN ISO 10993-23: 2021, ISO 13485:2016,
EN 60601-2-52:2010+A1:2015, EN 60601-1: 2006/A13:2024, EN 60601-1-2: 2015+ A1:2021, EN 62366-1: 2015/A1:2021

Accessories

Naggura Face+ Headrest	Naggura Concave Headrest ○ ●
	
Comfort Headrest Cushion	Foot Controller 3 Motor
	
Cable-Hanging Roll Holder	
	

Features

Operation system: Hand controller (included)
Buttons in backrest: NO
Heating: NO
Wheels: NO
Memories: NO
Reset: YES
Lock (in handcontroller): YES
Rotation: NO
Regulating headrest: NO
LED: YES, with regulable intensity
Extensible parts: Headrest, legrest extensible and regulable up-down and to the exterior sides