

Core P3

COREP3.3.A26

3-motor electric podiatry chair with hand control, side-opening legrests, and headrest with facial hole.

Core P3 is a **3-motor electric podiatry chair**, designed for podiatry and pedicure work. The **Multiposition System** adjusts the height from 58 to 96 cm to facilitate access and set the working position, the backrest from 0 to 85°, and the seat tilt from 0 to 11°; the chair measures 177 cm long and 62 cm wide without armrests or 85 cm with them, and offers **Antigravity** for long sessions and a **Trendelenburg position** of 0 to 11° to adjust the posture. The **hand control** allows each motor to be operated separately without leaving the work area. The **independent legrests with gas lifts** extend by 0 to 15 cm and adjust from 0 to 85° to work on each foot separately, while the **side-opening legrests** leave room for the bathtub, the **headrest with facial hole** extends and folds down to adapt the support, and the **folding and removable armrests** facilitate getting in and out. The fixed white **LED light** in the base provides ambient lighting during the session. With **white PVC upholstery**, **9 cm padding**, and a **load capacity of 180 kg**, the chair provides comfortable support for the client during treatment. It can optionally be completed with a **pedal**, **paper roll holder**, **cover**, and **wheels**.

3	↔ 177 cm
9 cm	180 kg
⤢ 62-85 cm	↕ 58-96 cm
136 x 68 x 77 / 98 kg	


Accessories



Pedal
FC003.SWOPS3.PRO



Roll holder
50080.1



Bed cover
COVER.MEDIAL SMART



Wheels
WH.01.2

Key features



Side opening of legrest

Free space at will

The legrests open sideways and **independently** to comfortably place the bathtub without moving the client. Better access to the foot. More precision in each treatment.



Multiposition System

3 motors. Exact position.

Three independent motors control height, backrest, and seat tilt. Each treatment in its ideal position. Precise adjustment without effort.



Independent legrests with gas piston

Precise manual adjustment

Each footrest is independently adjustable in height using a **gas piston**, allowing you to work on one foot without compromising the other.



Antigravity

Long treatments, with less strain.

The **antigravity** position, with the back raised and legs elevated, distributes the body's weight and makes long sessions more comfortable.



LED Light

Soft light bath your cabin

LED in the base to complement the treatment ambiance.



Accessibility

Sit down effortlessly.

The **minimum height** makes it easy to get in and out of the chair or bed comfortably and gently, even for people with reduced mobility.



Trendelenburg Position

Total tilt. Optimal access.

Trendelenburg position for complete tilt of the chair-bed. Ideal for **drenage treatments**, with a greater working angle for the professional.



Control with hand controller

Included as standard

The hand controller precisely regulates **height, backrest, and tilt** of the seat without interrupting the treatment.



Headrest with facial hole

Maximum comfort for any type of treatment.

Extensible and removable headrest with facial hole and **plug included**. Ideal for face-down treatments. Relaxed neck, natural posture.



Folding and removable armrests

It adapts to you when you need it.

Armrests **folding and removable** that facilitate access and adjust to each treatment. More mobility for you, more comfort for the client.

Key specifications

Dimensions and structure

Number of motors	3
Total length	177 cm
Thickness of padding	9 cm
Load capacity	180 kg
Width without armrests	62 cm
Width with armrests	85 cm
Minimum height	58 cm
Maximum height	96 cm
Maximum height (with footrest at maximum)	110 cm
Base dimensions (length)	97 cm
Base dimensions (depth)	97 cm
Base dimensions (height)	7 cm
Cylindrical backrest shape	No
Base material	metal
Base color	grey
LED light in the base	Yes
LED light color	white
LED light modes	Static
Wheels	Optional
Levelers on the base	Yes

Movements and adjustments

Movements of the bed	height, backup, footrest, seat tilt, head angle
Functions of the motors	height, backup, seat tilt
Working positions	Antigravity, Trendelenburg
Height regulation system	electric
Headrest	extendable, foldable, Removable
Headrest extension	0-15 cm

Movements and adjustments

Head angle range	0-120 °
Head angle adjustment	Yes
Supplementary headrest	No
Backrest regulation system	electric
Backrest angle range	0-85 °
Armrests	foldable, removable, synchronized with the seat
Seat tilt regulation system	electric
Seat angle range	0-11 °
Trendelenburg angle	0-11 °
Chair rotation	No
Footrest	extendable, not removable
Parts of the footrest	fixed section + extendable section
Footrest extension	0-15 cm
Footrest angle regulation system	gas lift
Footrest angle range	0-85 °
Side opening of legrest	Yes
Side opening system for leg sections	sliding
Side opening angle of the footrest	0-90
Motor control	Handcontroller, foot controller
Side buttons	No
Handcontroller included	Yes
Included foot controller	No
Foot pedal included	No
Reset Function	No
Security lock function	No
Memory positions	No

Key specifications

Comfort and upholstery

heating	No
Facial hole	Yes
Comfort cushion	No
Back massage	No
Upholstery material	PVC
Type of upholstery	PVC
Upholstery color	white
Mattress composition	foam 50 kg/m³
One-piece mattress	No
SuperSoft Padding	No
Upholstery fastening system	screwing
Seamless upholstery	No
Paper roll holder included	Optional

Electrical specifications

Supply voltage	220 / 240 V
Frequency	50 / 60 Hz
Electric consumption	300 W
Motor power height	6000 N
Cable length	2 m
Connections on the outside of the bed	Yes
Protection class	Class I

Packaging and transport data

Number of packages	1

Maintenance and care

Care instructions for beds	Do not use alcohol or abrasive solutions to clean the bed.
Warnings	Do not use in damp environments or outdoors. Ensure that the power cord is properly connected. Do not sit on the footrest or headrest of the chair.

Recommended uses

Recommended uses	pedicure treatments, body treatments, facial treatments, podiatry

Certificates and warranty

Medical certificate MDR 2017/745	No
LVD Certification 2014/35/EU	Yes
EMC Certification 2014/30/EU	Yes
Certification of fireproof upholstery	No

Technical drawings and measurements

